



MISC. PLUMBING INSTALLATIONS

(water heater guidelines are on separate document)

Include the following items (where applicable) listed below to assist the City plumbing inspector in determining compliance of the water heater installation

VIDEO & PHOTO INSPECTION CHECKLIST

- Street view of home or building (no Google or Bing or other search images)
- Gas leak repair – Plumbing inspector will perform a site visit to view pressure test on diaphragm gauge. Test shall be a whole-house test with gauge located on the exterior of the dwelling or building
- Gas leak repair – upload photo/video to ETRAKIT of repairs performed
- Slab leak – show piping repair methods and materials
- Shower liner – show threshold, liner, factory-corners, and water test
- New INTERIOR gas piping – Interior installations shall require photo/video uploaded to ETRAKIT and plumbing inspector will perform site inspection to view pressure test on diaphragm gauge located outside
- New EXTERIOR gas piping – Plumbing inspector will perform a site visit to inspect all piping and testing. Do not cover any piping in advance'
- Sewer/water line repairs – Exterior installations will be inspected in their entirety by the plumbing inspector. Interior installations shall be photo/video uploaded in ETRAKIT
- Backflow device – Exterior installations will be inspected in their entirety by the plumbing inspector. Interior installations shall be photo/video uploaded in ETRAKIT